

UHU[®]**CREATIV' WOOD & NATURAL MATERIALS**
PREMIUM FORMULA, DRIES CLEAR

Stains/residue: Smear glue can be removed with warm water. Once it has dried it will not dissolve in water and is even difficult to remove using acetone or nitro thinner.

TECHNICAL SPECIFICATIONS

Appearance: milky white

Chemical base: vinyl acetate/ethylene copolymer

Viscosity: approx. 70 - 115 mPa.s.

Solid matter: approx. 55 %

Density: approx. 1.04 +- 0.01 g/cm³

pH-value: approx. 3,5 - 5

STORAGE CONDITIONS

Product should be stored in a dry, cool and frost free place.

PACK SIZES

tube: 38ml on blistercard

PRODUCT DESCRIPTION

UHU Creativ' Wood & Natural Materials is the strong and fast adhesive with a top-quality ethylvinylacetate formula. The adhesive dries clear and is solvent-free. Ideal to make models, picture frames, doorplates, stick decorations, for collages, pendants, decorative figures, puppets, kites, mobiles, doll houses, toys, straw stars and much more.

FIELD OF APPLICATION

Glues wood, balsa, cork, wood based materials, natural materials like straw, bast, flax, hair, dried flowers, leaves, feathers, also in combination with many other materials, as long as one of the parts to be stuck together will absorb water or is porous.

PROPERTIES

- Premium adhesive formula
- Dries clear
- Solvent-free
- Quick and strong adhesion

PREPARATION

Surface requirements: The areas to be glued must be dry and free of any dust or grease.

APPLICATION**Directions for use:**

The adhesive is usually applied to only one of the surfaces. The open time is between 3 and 10 minutes, depending on the quantity of adhesive applied and the absorbency of the parts to be stuck together. Place the parts together before the adhesive dries.

Note: This information is the result of carefully executed tests. This Technical Data Sheet has been prepared to the best of our knowledge to provide you with advice when gluing. We cannot be held responsible for the results or any damage suffered, as the variety of factors involved (type and combination of materials and working method) are beyond our control. Users have to carry out their own checks and trials. Liability can only be accepted for the consistently high quality of our product.