

UHU®

CREATIV WOOD & NATURAL MATERIALS

PREMIUM FORMULA, DRIES CLEAR



PRODUCT DESCRIPTION

UHU Creativ Wood & Natural Materials is the strong and fast adhesive with a top-quality ethylvinylacetate formula. The adhesive dries clear and is solvent-free. Ideal to make models, picture frames, doorplates, stick decorations, for collages, pendants, decorative figures, puppets, kites, mobiles, doll houses, toys, straw stars and much more.

FIELD OF APPLICATION

Glues wood, balsa, cork, wood based materials, natural materials like straw, bast, flax, hair, dried flowers, leaves, feathers, also in combination with many other materials, as long as one of the parts to be stuck together will absorb water or is porous.

PROPERTIES

- Premium adhesive formula
- Dries clear
- Solvent-free
- Quick and strong adhesion

PREPARATION

Surface Requirements: The areas to be glued must be dry and free of any dust or grease.

APPLICATION

Directions for use:

The adhesive is usually applied to only one of the surfaces. The open time is between 3 and 10 minutes, depending on the quantity of adhesive applied and the absorbency of the parts to be stuck together. Place the parts together before the adhesive dries.

Stains/residue: Smear glue can be removed with warm water. Once it has dried it will not dissolve in water and is even difficult to remove using acetone or nitro thinner.

TECHNICAL SPECIFICATIONS

Chemical base:	Ethylene vinylacetate copolymer
Colour:	White
Colour after curing/drying:	Transparent
Drying/Curing time approx.*:	20 seconds
Final bond strength after:	1h
pH-value approx.:	4.5
Rinseable with water:	Yes
Solid matter approx.:	55 %
Solvent free:	Yes
Transparent:	Yes, after drying
Viscosity:	Liquid
Viscosity approx.:	8000 mPa·s
Washable:	No
Water resistance:	Good
Water soluble:	No

* Curing time may vary depending on a.o. surface, product quantity used, humidity level and ambient temperature.

PACK SIZES

tube: 38ml on blistercard

STORAGE CONDITIONS

Store in a dry, cool and frost-free place.

Our advice is based on extensive research and practical experience. However, in view of the large variety of materials and the conditions under which our products are applied, we assume no responsibility for the results obtained and/or any damage caused by the use of the product. Nevertheless, our Service Department is always at your disposal for any advice needed.