

UHU® CORRECTION FLUID

WHITE CORRECTION FLUID FOR FAST CORRECTION OF LARGER AREAS



Density: approx. 0,97 g/cm³

STORAGE CONDITIONS

Store in a dry, cool and frost-free place.

PACK SIZES

UHU CORRECTION FLUID is available as 20ml bottle with brush in tray or on blistercard.

PRODUCT DESCRIPTION

White correction fluid for fast correction of larger areas on all common types of paper (except thermal paper). The white fluid dries fast and has a high covering power. In a handy bottle with integrated brush for use at home, school, and the office. The packaging is made of more than 85% recycled cardboard.

FIELD OF APPLICATION

Suitable for printed or handwritten texts on every type of paper (except thermal paper) Not suitable for thermal paper.

PROPERTIES

- For correction of larger areas
- Fast drying, with high covering power
- Handy bottle with integrated brush
- Suitable for all kinds of paper (ex. thermal paper)

APPLICATION

Directions for use:

Shake bottle well before use. Shake bottle well before use. Use brush to apply correction fluid to the required area. The amount of fluid can be controlled by wiping the brush against the inside of the bottle. Leave to dry for a few moments before writing on the corrected area. Close bottle immediately after use. No thinner is required.

Stains/residue: Correction fluid can be removed from smooth surfaces, when dry, preferably with mechanical action using a blade or spatula.

TECHNICAL SPECIFICATIONS

Appearance: white fluid

Chemical base: acrylate resin with titanium dioxide

Solid matter: approx. 54 %

Note: This information is the result of carefully executed tests. This Technical Data Sheet has been prepared to the best of our knowledge to provide you with advice when gluing. We cannot be held responsible for the results or any damage suffered, as the variety of factors involved (type and combination of materials and working method) are beyond our control. Users have to carry out their own checks and trials. Liability can only be accepted for the consistently high quality of our product.