

**UHU**<sup>®</sup>

# CORRECTION FLUID WATER-BASED

## WHITE, WATERBASED CORRECTION FLUID FOR FAST CORRECTION OF LARGER AREAS



### TECHNICAL SPECIFICATIONS

Chemical base:	Acrylate dispersion with titanium dioxide
Colour:	White
Consistency:	Liquid
Density approx.:	1,0 g/cm <sup>3</sup>
Drying/Curing time approx.*:	1-2 minutes
Paintability:	Yes
Solid matter approx.:	60 %
Solvent free:	Yes

\* Curing time may vary depending on a.o. surface, product quantity used, humidity level and ambient temperature.

### PACK SIZES

Available as 20ml bottle with brush in tray or on blistercard.

### STORAGE CONDITIONS

Store in a dry, cool and frost-free place.

### PRODUCT DESCRIPTION

White, waterbased correction fluid for fast correction of larger areas on all common types of paper (except thermal paper). The white fluid dries fast, has a high covering power and is solvent free. In a handy bottle with integrated brush for use at home, school, and the office. The packaging is made of more than 85% recycled cardboard.

### FIELD OF APPLICATION

Suitable for printed or handwritten texts on every type of paper (except thermal paper)

Not suitable for thermal paper.

### PROPERTIES

- For correction of larger areas
- Fast drying, with high covering power
- Waterbased
- Handy bottle with integrated brush
- Suitable for most kinds of paper

### APPLICATION

#### Directions for use:

Shake closed bottle well before use.

Shake bottle well before use. Use brush to apply correction fluid to the required area. The amount of fluid can be controlled by wiping the brush against the inside of the bottle. Leave to dry for a few moments before writing on the corrected area. Close bottle immediately after use. No thinner is required.

**Stains/residue:** Correction fluid can be removed from smooth surfaces, when dry, preferably with mechanical action using a blade or spatula.

Our advice is based on extensive research and practical experience. However, in view of the large variety of materials and the conditions under which our products are applied, we assume no responsibility for the results obtained and/or any damage caused by the use of the product. Nevertheless, our Service Department is always at your disposal for any advice needed.